# Approved For Release 20**76**071/1**5**207820PP78B04560A002200010005-9

Copy () (6)



NPIC/R-246/64 April 1964


PHOTOGRAPHIC INTERPRETATION REPORT

# NORTHEAST PROBABLE ANTIMISSILE-MISSILE LAUNCH COMPLEX LENINGRAD, USSR,





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



Declass Review by NGA/DOD TOP SECRET

Approved For Release 2006/01/17: CIA-RDP78B04560A002200010005.... Served declassification

# Approved For Release 2006/01/17: CIA-RDP78B04560A002200010005-9

NPIC/R-246/64

# NORTHEAST PROBABLE ANTIMISSILE-MISSILE LAUNCH COMPLEX LENINGRAD, USSR,

25X1

The Leningrad Northeast Probable AMM

Launch Complex at 60-05
20N 30-44-00E (Figure 1) was observed on very good quality oblique stereo photography from with snow conditions prevailing. This photography permits a more detailed examination of facilities than was possible with smaller scale photography from earlier missions. 1/2/

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X11

25X1,

All measurements contained in this report are the best obtainable within the current limits of the system and exploitation techniques. There being no means in the system for determining camera attitude, precise attitude is unknown and planned attitude is assumed. A full analysis of the metric characteristics of strip camera photography has not been completed. Wherever possible measurements have been cross-checked with collateral information.

This report was prepared in response to a CIA requirement requesting line drawings, mensuration, and new information. Line drawings of a typical launch site or segment thereof and of the Probable Complex Control Center with associated facilities are not feasible because of snow cover.

Significant information obtained from and not obtainable from prior smaller scale photography includes:

- 1. Apparent inactivity in the vicinity of the launch sites.
- 2. Number of bays (5) for each launch site curved building.
- 3. Height and width of measurable bays \_\_\_\_\_\_ Note measurements statement.
- 4. Length, width, and height of all structures within the Support Area and the Barracks

Note measurements statement. Area. Line drawings of the support and barracks areas (inset, Figure 2) are provided to furnish building dimensions including heights where No missiles, launchers, ground possible. support equipment or track activity are visible in the vicinity of the launch sites. Possible trackage in the snow is visible within the Support Area and there are indications of minor trackage at the Barracks Area just outside the complex to the south. The main road bypassing the complex to the southeast had been cleared of snow and portions of the road leading to an entrance east of the Launch Area appeared to have been cleared.

At least ten small unidentified vehicles are observed on the main access road near the complex entrance.

At the northernmost launch site, circular areas approximately 35 feet in diameter are apparent near the apex of the triangular positions opposite four of the curved buildings. At least three of the revetments at the launch sites remain incomplete (Figure 2) and a previously reported 2/ linear possible excavation still is evident extending between two positions at the northernmost site.

No structures comparable to the electronic facilities observed at the northwest and southwest complexes have been erected northwest and southwest of the Probable Complex Control Center. A pattern of partially snow covered features at each of these positions may be footings for structures. They were not discernible on the prior smaller scale photography.

There are five openings along the outer and inner sides of the curved buildings at the launch sites indicating that each building

- 1 -

# Approved For Release 2006/01/17 : CIA-RDP78B04560A002200010005-9

NPIC/R-246/64





FIGURE 1. PROBABLE AMM LAUNCH COMPLEXES AND SAM INSTALLATIONS NEAR LENINGRAD, USSR.



Approved For Renerse 2006 10 11 1709 CHA-RDP 76 18 045 60 A 9 (22000 1000 5-9)

25X1


25X1

25X1

25X1

NPIC/R-246/64

ILLĖGIB



**ILLEGIB** 

FIGURE 3, TYPICAL LAUNCH SITE.

NPIC H-9496 (4/64)

NPIC H-9497 (4/64)

25X1

25X1

25X1

25X1

FIGURE 4. PERSPECTIVE OF CURVED BUILDING AT TYPICAL LAUNCH SITE.

25X1

25X1

Approved For Release 2006/01/1	7 . CIA DDD79D0450	NA 00220004000E 0
Approved For Release 2006/01/1	/: CIA-RDP/0B0436	PAUU22UUU 1UUU5-9

25X1

25X1

25X1

25X1

25X1

NPIC/R-246/64

probably contains five bays (Figure 3). A perspective (Figure 4) of a typical launch site buildings as observed on 25X1

curved building portrays an impression of the photography. The Probable Complex Control Center

appears essentially the same as it did on photog-

raphy of [ with snow cover, so construction progress cannot be evaluated. The building appears partially earth covered.

The complex is enclosed by double fencing with guard towers.

## REFERENCES

### MAPS OR CHARTS

ACIC. US Air Target Chart, Series 200, Sheet 0103-25HL, 3d cd, Jun 62, scale 1:200,000 (SECRET)

### DOCUMENTS

25X1

- 1. NPIC. R-135/62, Antimissile Missile Activity in the USSR, Oct 62 (TOP SECRET
- 2. NPIC. R-135/64, Probable Antimissile-Missile Launch Complexes, Leningrad, USSR, Changes and Additions

# REQUIREMENT

CIA. ORR/C-RR4-81,217

NPIC PROJECT

N-392/64

- 6 -

Approved For Release 2006/01/17 : CIA-RDP78B04560A002200010005-9